

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

Establishment Name FISTFUL OF TACOS/ALE	Telephone Number Est 812-557-0226 Own (812) 207-3474	Date of Inspection 07/30/2021	ID#
Address 2708 PAOLI PIKE (SUITE H), NEW ALBANY IN 47150			
Owner DERECK WASHBURN	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up	Released 07/30/2021
Owner's Address 205 CHERRY STREET NEW ALBANY, IN 47150-		Menu Type 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input checked="" type="checkbox"/> 5 <input type="checkbox"/>	
Person in Charge DERECK WASHBURN			
Responsible Person's Email DERECK@FISTFULOFTACOS.COM			
Certified Food Handler HAYDEN SIMON DERECK WASHBURN			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
297		X		Observed moldy water in drip pan on floor under the milk cooler.	Today
218		X		Observed lightbulb out in employee restroom.	1 week
256		X		Observed no thermometer in milk cooler.	4 days
433		X		Observed mop left in mop bucket. Mop should be hung to dry.	1 day/ retrain staff
192	X		X	Observed the following foods stored in cooler past their 7 day datemark; brussel sprouts (7-21), 3 containers of Chicken (7-21), Beef (7-20), Pork (7-22), 2 containers of beans (7-22). All discarded, Cooked foods should be discarded the day they expire.	discarded
355		X		When speaking with a staff member it was discovered mop water was not being disposed of into city plumbing. Dispose of mop water into mop sink. If there is no mop sink one should be installed within 60 days. Mop water may be discarded temporarily into employee toilet until one can be installed. Toilet should be thoroughly cleaned after dumping water.	1 day/ Retrain staff/60 d

Summary of Violations C 1 NC 5 R 1

Received by (name and title printed):

Inspected by (name and title printed):

Thomas Snider CFS

Received by (signature):

Inspected by (signature):

Thomas Snider

cc:

cc:

cc: